Contents of Volume 90

Abbreviations in parenthesis refer to the following sections: (E) Editorial; (R) Review article; (O) Original investigation; (SC) Short communication; (CC) Clinical case report; (CO) Case observed; (RG) Rare genetic variant register; (DV) DNA variants; (L) Letter to the editors; (ER) Erratum

Abadie V → Weinstein M
Abbas N → McElreavey K
Abe M → Mashimo M
Abraham G → White D
Abrahamson M → Balbín M
Achatz H → Berger W
Adachi R → Yamada Y
Aguillon D → Visvikis S
Ahn YI, Kamboh MI, Ferrell RE: Two new alleles in the tetranucleotide repeat polymorphism at the lipoprotein lipase (LPL) locus (DV) 184
Aiello V → Patracchini P
Ajmar F → Mareni C
Akaoka I → Fujimori S
Akli S, Chelly J, Kahn A, Poenaru L: A null allele frequent in non-Jewish Tay-Sachs patients (O) 614
Aldred MJ, Crawford PJM, Roberts E, Thomas NST: Identification of a nonsense mutation in the amelogenin gene (AMELX) in a family with X-linked amelogenesis imperfecta (AIH1) (O) 413
Allan PL → Wright AF
Alloisio N → Dalla Venezia N
Alterman LA → O'Reilly M-AJ
Andermann E → Hechtman P
Angelini C → Müller E
Anokhin A, Steinlein O, Fischer C, Mao Y, Vogt P, Schalt E, Vogel F: A genetic study of the human low-voltage electroencephalogram (O) 99
Antonarakis SE → Avramopoulos D
Anvret M → Curtis ARJ
Apfelstedt-Sylla E → Horn M
Arai T → Numabe H
Arbex OF → Moncla A
Arveiler D → Visvikis S
Asadov CD → Cürük MA
Asherson P → Owen MJ
Assum G → Stark M
Aurias A → Desmaze C
Avigad S → Weinstein M
Avoustin P, Mostachi H, Perret B, Cambou JP, Cambien F, Préval C de: A very conservative region of ApoB-100 in the putative binding region to the LDL receptor in the Toulouse population (SC) 460
Avramopoulos D, Cox T, Kraus JP, Chakravarti A, Antonarakis SE: Linkage mapping of the cystathionine β-synthase (CBS) gene on human chromosome 21 using a DNA polymorphism in the 3′ untranslated region (O) 566
Baigent CN → Lo Y-MD
Baird PN → Groves N
Bajalica S → Blennow E
Balbín M, Freije JP, Abrahamson M, Velasco G, Grubb A, López-Otín C: A sequence variation in the human cystatin D gene resulting in an amino acid (Cys/Arg) polymorphism at the protein level (DV) 668
Baldini A, Ried T, Shridhar V, Ogura K, D'Aiuto L, Rocchi M, Ward DC: An alphoid DNA sequence conserved in all human and great ape chromosomes: evidence for ancient centromeric sequences at human chromosomal regions 2q21 and 9q13 (O) 577
Baligadoo S → Ramasawmy R
Ballhausen P → Reiss J
Ballhausen WG → Lambertz S
Barić I, Mardešić D, Gjurić G, Sarnavka V, Göbel-Schreiner B, Lichter-Konecki U, Konecki DS, Trefz FK: Haplotype distribution and mutations at the PAH locus in Croatia (SC) 155
Barouki R → Stengel D
Bartram CR → Lindner M
Baysal E → Cürük MA
Benabdennebi M → Tachdjian G
Berchtold MW, Koller M, Egli R, Rhyner JA, Hameister H, Strehler EE: Localization of the intronless gene coding for calmodulin-like protein CLP to human chromosome 10p13–ter (O) 496

Berger R → McElreavey K
Berger W, Meindl A, Leeuw B de, Roos A de, Pol TJR van de, Meitinger T, Velde-Visser SD van der, Achatz H, Geurts van Kessel A, Cremers FPM, Ropers H-H: Generation and characterization of radiation reduced cell hybrids and isolation of probes from the proximal short arm of the human X chromosome (O) 243
Bernardi F → Marchetti G
Bernardi F → Patracchini P
Bernheim A → Bruneau G
Bertelli R → Caridi G
Besner A → MacKenzie A
Beuten J, Mangelschots K, Buntinx I, Coucke P, Brouwer OF, Hennekam RCM, Van Broeckhoven C, Willems PJ: Molecular study of chromosome 15 in 22 patients with Angelman syndrome (O) 489
Bhattacharya S → Curtis ARJ
Bianchi DW, Mahr A, Zickwolf GK, Houseal TW, Flint AF, Klinger KW: Detection of fetal cells with 47,XY,+21 karyotype in maternal peripheral blood (O) 368
Bichlmaier R → Braun A
Bikker H → Bolhuis PA
Bindoff LA → Howell N
Bishop CE → Pivnick EK
Blennow E, Telenius H, Larsson C, Vos D de, Bajalica S, Ponder BAJ, Nordenskjöld M: Complete characterization of a large marker chromosome by reverse and forward chromosome painting (O) 371
Blouin J-L → Yaspo M-L
Bolhuis PA, Bikker H: Deletion of the 5′-region in one or two alleles of HEXB in 15 out of 30 patients with Sandhoff disease (L) 328
Bolk MWJ → Kluck PMC
Bonaiti-Pellie C → M'Rad R
Bonaventure J, Philippe C, Plessis G, Vigneron J, Lasselin C, Maroteaux P, Gilgenkrantz S: Linkage study in a large pedigree with Stickler syndrome: exclusion of COL2A1 as the mutant gene (SC) 164
Bono AV → Casalone R
Boucekkine C → McElreavey K
Boulay B → Hechtman P
Boyd Y → Cockburn DJ
Boye E → Curtis ARJ
Brandtzaeg P → Krajči P
Braun A, Bichlmaier R, Müller B, Cleve H: Molecular evaluation of an Alu repeat including a polymorphic variable poly(dA) (AluVpA) in the vitamin D binding protein (DBP) gene (O) 526
Brauner R → McElreavey K
Brewster S → Lichter JB
Brocca S → Mosna G
Brooks-Wilson AR → Lichter JB
Brouwer OF → Beuten J
Brown WT → Erster SH
Broyer M → M'Rad R
Bruneau G, Nguyen VC, Gros F, Bernheim A, Thibault J: Preparation of a rat brain histidine decarboxylase (HDC) cDNA probe by PCR and assignment of the human HDC gene to chromosome 15 (O) 235
Buiting K → Dittrich B
Buntinx I → Beuten J
Buxbaum JN → Jacobson DR
Byers B → Zheng C-J
Byers PH → Molyneux K
Byrne E → Lertrit P

Calzolari E → Patracchini P
Cambien F → Avoustin P
Cambien F → Visvikis S
Cambou JP → Avoustin P
Cambou JP → Visvikis S
Candiano G → Caridi G
Caridi G, Pezzolo A, Bertelli R, Gimelli G, DiDonato A, Candiano G, Ghiggeri GM: Mapping of the human COL5A1 gene to chromosome 9q34.3 (SC) 174
Carothers AD → Wright AF
Carré-Eusèbe D, Imbeaud S, Harbison M, New MI, Josso N, Picard J-Y: Variants of the anti-Müllerian hormone gene in a compound heterozygote with the persistent Müllerian duct syndrome and his family (O) 389
Carter C → White D
Caruso ML → Mareni C

Casalone R, Granata Casalone P, Minelli E, Portentoso P, Righi R, Meroni E, Giudici A, Donati D, Riva C, Salvatore S, Bono AV: Significance of the clonal and sporadic chromosome abnormalities in non-neoplastic renal tissue (O) 71
Chakravarti A → Avramopoulos D
Chamberlain P → Lo Y-MD
Chamla Y: C-anaphases revised (L) 187
Chandley AC: Involvement of 3:1 disjunction in the common reciprocal translocation t(11;22)(q23.3;q11.2) (L) 191
Chayko CA, Martin-DeLeon PA: The murine Rb(6.16) translocation: alterations in the proportion of alternate sperm segregants effecting fertilization in vitro and in vivo (O) 79
Chelly J → Akli S
Chelly J → Graeber MB
Chen B → Wei J
Chettouh Z → Yaspo M-L
Chillón M, Palacio A, Nunes V, Estivill X: A rare DNA variant in exon 15 of the cystic fibrosis transmembrane conductance regulator (CFTR) gene (DV) 474
Clarke AJ → Curtis ARJ
Claustres M, Desgeorges M, Kjellberg P, Tissot C, Demaille J: Analysis of 30 known cystic fibrosis mutations: 10 mutations account for 27% of non-ΔF508 chromosomes in Southern France (SC) 464
Cleve H → Braun A
Clinton M → Szabo P
Cockburn DJ, Munro EA, Craig IW, Boyd Y: Mapping of X chromosome translocation breakpoints in females with Duchenne muscular dystrophy with respect to exons of the dystrophin gene (O) 407
Collier D → Owen MJ
Colman MA, Stevens G, Ramsay M, Kwon B, Jenkins T: Exclusion of two candidate pigment loci, *c* and *b*, part of chromosome 11p, and 33 random polymorphic markers as the locus for tyrosinase-positive oculocutaneous albinism (O) 556
Conant R → Fortina P
Connor JM → Mgone CS
Cooper DN → Krawczak M
Cooper DN → White D
Cotton RGH → Ramus SJ
Coucke P → Beuten J
Cowell JK → Groves N
Cox T → Avramopoulos D
Craig IW → Cockburn DJ
Crawford PJM → Aldred MJ
Créau-Goldberg N → Yaspo M-L
Cremer T → Joos S
Cremer T → Manoir S du
Cremers FPM → Berger W
Crété N → Yaspo M-L
Croci G → Patracchini P
Crocker M: Rearrangements of the X chromosome and Turner syndrome (L) 185
Crotty PL, Whitley CB: Assessment of iduronate-2-sulfatase mRNA expression in Hunter syndrome (mucopolysaccharidosis type II) (O) 285
Cürük MA, Yüregir GT, Asadov CD, Dadasova T, Gu L-H, Baysal E, Gu Y-C, Ribeiro MLS, Huisman THJ: Molecular characterization of β-thalassemia in Azerbaijan (O) 417
Curtis ARJ, Headland S, Lindsay S, Thomas NST, Boye E, Kamakari S, Roustan P, Anvret M, Wahlstrom J, McCarthy G, Clarke AJ, Bhattacharya S: X chromosome linkage studies in familial Rett syndrome (O) 551
Curtis G → Robinson D
Czeizel AE → Hundrieser J

Dadasova T → Cürük MA
D'Aiuto L → Baldini A
Dalgleish R → Molyneux K
Dalla Venezia N, Wilmotte R, Morlé L, Forissier A, Parquet N, Garbarz M, Rousset T, Dhermy D, Alloisio N, Delaunay J: An α-spectrin mutation responsible for hereditary elliptocytosis associated in *cis* with the $\alpha^{V/41}$ polymorphism (O) 641
Danesino C → Mosna G
Danieli GA → Müller E
Davies GE, Howard CM, Gorman LM, Farrer MJ, Holland AJ, Williamson R, Kessling AM: Polymorphisms and linkage disequilibrium in the COL6A1 and COL6A2 gene cluster: novel DNA polymorphisms in the region of a candidate gene for congenital heart defects in Down's syndrome (O) 521
Dawson PA → Sculley DG
De Braekeleer M → Hechtman P
De Croo S → Deka R
Deguchi T → Mashimo M
Deka R, De Croo S, Yu LM, Ferrell RE: Variable number of tandem repeat (VNTR) polymorphism at locus D17S5 (YNZ22) in four ethnically defined human populations (O) 86
Delabar J-M → Yaspo M-L
Delaunay J → Dalla Venezia N
Demaille J → Claustres M
De Mey RJ → Wright AF
Deschenes G → M'Rad R
Desgeorges M → Claustres M
Desmaze C, Scambler P, Prieur M, Halford S, Sidi D, Le Deist F, Aurias A: Routine diagnosis of DiGeorge syndrome by fluorescent in situ hybridization (SC) 663
Dhermy D → Dalla Venezia N
Di Donato A → Caridi G
Diehl SR → Reynolds JE
Diekmann L, Palm K, Pfeiffer RA, Trautmann U, Scholz W, Schroers E, Vogt P, Köhler M: Multiple minute marker chromosomes derived from Y identified by FISH in an intersexual infant (CC) 181
Difillipantonio M → Lichter JB
Dingermann T → Gebhart E
DiSanto JP → Fleischhauer K
Dittrich B, Robinson WP, Knoblauch H, Buiting K, Schmidt K, Gillessen-Kaesbach G, Horsthemke B: Molecular diagnosis of the Prader-Willi and Angelman syndromes by detection of parent-of-origin specific DNA methylation in 15q11–13 (SC) 313
Dobkin CS → Erster SH
Döhner H → Manoir S du
Dörk T, Kälin N, Stuhrmann M, Schmidtke J, Tümmler B: A termination mutation (2143delT) in the CFTR gene of German cystic fibrosis patients (O) 279
Domínguez MG → Rivera H
Donati D → Casalone R
Dotti G → Fortina P
Drews D → Reiss J
Duba HC → Steichen-Gersdorf E
Dürr C, Hinney A, Luckenbach C, Kömpf J, Ritter H: Genetic studies of antithrombin III with IEF and ASO hybridization (SC) 457
Duh F-M → Latif F

Eckardt R → Reis A
Edman K, Maret W: Alcohol dehydrogenase genes: restriction fragment length polymorphisms for ADH4 (π-ADH) and ADH5 (χ-ADH) and construction of haplotypes among different ADH classes (O) 395
Egli R → Berchtold MW
Ehnholm C → Helminen P
Eisensmith RC → Weinstein M
Elion J → Tachdjian G
Ellermeyer U → Niemann-Seyde S
Emmerson BT → Sculley DG
Enders H → Schmid M
Epplen JT → Hundrieser J
Epplen JT: On genetic components in autoimmunity: a critical review based on evolutionarily oriented rationality (R) 331
Epplen JT → Santos FR
Erster SH, Brown WT, Goonewardena P, Dobkin CS, Jenkins EC, Pergolizzi RG: Polymerase chain reaction analysis of fragile X mutations (O) 55
Estivill X → Chillón M
Eto Y → Kawame H
Evans AE → Visvikis S

Fällström SP → Marcus S
Farrar J → Horn M
Farrer MJ → Davies GE
Fattore S → Mosna G
Felber S → Steichen-Gersdorf E
Fellous M → McElreavey K
Fernández-Piqueras J → Ludeña P
Ferrati M → Marchetti G
Ferrell RE → Ahn YI
Ferrell RE → Deka R
Fischer C → Anokhin A
Fitches AC → Varawalla NY
Fitzgerald PH: Premature centromere division (L) 190
Fleischhauer K, McBride OW, DiSanto JP, Ozato K, Yang SY: Cloning and chromosome mapping of human retinoid X receptor β: selective amino acid sequence conservation of a nuclear hormone receptor in mammals (O) 505
Fleming KA → Lo Y-MD
Fletcher JA → Reynolds JE
Flint AF → Bianchi DW
Fontes M → Moncla A

Forissier A → Dalla Venezia N
Forrest SM → Ramus SJ
Fortina P, Conant R, Monokian G, Dotti G, Parrella T, Hitchcock W, Kant J, Scanlin T, Rappaport E, Schwartz E, Surrey S: Non-radioactive detection of the most common mutations in the cystic fibrosis transmembrane conductance regulator gene by multiplex allele-specific polymerase chain reaction (O) 375
Frangou-Lazaridis M → Szabo P
Freije JP → Balbín M
Fries MH → Kuller JA
Fruchart JC → Visvikis S
Fugi L → Horn M
Fujimori S, Tagaya T, Kamatani N, Akaoka I: A germ line mutation within the coding sequence for the putative 5-phosphoribosyl-1-pyrophosphate binding site of hypoxanthine-guanine phosphoribosyltransferase (HPRT) in a Lesch-Nyhan patient: missense mutations within a functionally important region probably cause disease (O) 385
Fukao T → Kuwahara T
Fukushima Y → Numabe H
Fukutani K → Numabe H
Fuse H → Numabe H

Gaitskhoki VS → Schwarzman AL
Gal A → Horn M
Gannagé M-H → Stengel D
Garbarz M → Dalla Venezia N
Gatti R → Mosna G
Gebhart E, Rau D, Neubauer S, Dingermann T: Chromosome 1 in human colorectal tumors (L) 188
Gedde-Dahl T Jr → Krajči P
Geil L → Latif F
Gentile M → Mareni C
German J → Groden J
Gessler M, Grupe A, Grzeschik K-H, Pongs O: The potassium channel gene HK1 maps to human chromosome 11p14.1, close to the FSHB gene (SC) 319
Geurts van Kessel A → Berger W
Ghiggeri GM → Caridi G
Gianazza E → Mosna G
Gilgenkrantz S → Bonaventure J
Gill M → Owen MJ
Gillessen-Kaesbach G → Dittrich B
Gillmer MDG → Lo Y-MD
Gimelli G → Caridi G
Giudici A → Casalone R
Gjurić G → Barić I
Godfrey M → Raghunath M
Göbel-Schreiner B → Barić I
Goedde HW → Singh S
Golbus MS → Kuller JA
Goodfellow PJ → Lichter JB
Goodfellow PN → Jäger RJ
Goonewardena P → Erster SH
Gordon RB → Sculley DG
Gorman LM → Davies GE
Goto H → Yamada Y
Graeber MB, Monaco AP, Chelly J, Müller U: Isolation of DNTR polymorphisms from yeast artificial chromosomes encompassing X chromosomal loci PGK1 and DXS56 (O) 270
Granata Casalone P → Casalone R
Groden J, German J: Bloom's syndrome. XVIII. Hypermutability at a tandem-repeat locus (O) 360
Gros F → Bruneau G
Groves N, Baird PN, Hogg A, Cowell JK: A single base pair polymorphism in the WT1 gene detected by single-strand conformation polymorphism analysis (O) 440
Grubb A → Balbín M
Grunfeld J-P → M'Rad R
Grupe A → Gessler M
Grzeschik K-H → Gessler M
Grzeschik K-H → Szabo P
Gu L-H → Cürük MA
Gu Y-C → Cürük MA
Guanti G → Mareni C
Gubler M-C → M'Rad R
Guidal C → Tachdjian G
Guo Y → Wei J
Guttenbach M → Schmid M

Halford S → Desmaze C
Halvorson S → Howell N
Hamaguchi H → Kikuchi S
Hameister H → Berchtold MW
Hanoune J → Stengel D
Hansmann I → Rao VVNG
Harada S, Misawa S, Nakamura T, Tanaka N, Ueno E, Nozoe M: Detection of GST1 gene deletion by the polymerase chain reaction and its possible correlation with stomach cancer in Japanese (O) 62
Harbison M → Carré-Eusèbe D
Harley VR → Jäger RJ
Hasegawa Y → Kawame H
Hashimoto T → Kuwahara T
Headland S → Curtis ARJ
Hebebrand J, Hennighausen K: A critical analysis of data presented in eight studies favouring X-linkage of bipolar illness with special emphasis on formal genetic aspects (O) 289
Hechtman P, Boulay B, De Braekeleer M, Andermann E, Melançon S, Larochelle J, Prevost C, Kaplan F: The intron 7 donor splice site transition: a second Tay-Sachs disease mutation in French Canada (O) 402
Hellgren D → Marcus S
Helminen P, Johnsson V, Ehnholm C, Peltonen L: Proving paternity of children with deceased fathers (ER) 193
Hennekam RCM → Beuten J
Hennekam RCM: Aplasia cutis congenita reminiscent of the lines of Blaschko (CC) 469
Hennighausen K → Hebebrand J
Heppell-Parton A → Latif F
Heuertz S → M'Rad R
Hinney A → Dürr C
Hitchcock W → Fortina P
Hoffman EP → Kuller JA
Hogg A → Groves N
Holland AJ → Davies GE
Holvoet-Vermaut L → M'Rad R
Hopwood JJ → Scott HS
Horecker BL → Szabo P
Horn M, Humphries P, Kunisch M, Marchese C, Apfelstedt-Sylla E, Fugi L, Zrenner E, Kenna P, Gal A, Farrar J: Deletions in exon 5 of the human rhodopsin gene causing a shift in the reading frame and autosomal dominant retinitis pigmentosa (O) 255
Hors-Cayla M-C → M'Rad R
Horsthemke B → Dittrich B
Houseal TW → Bianchi DW
Howard CM → Davies GE
Howell N, Halvorson S, Kubacka I, McCullough DA, Bindoff LA, Turnbull DM: Mitochondrial gene segregation in mammals: is the bottleneck always narrow? (O) 117
Høyheim B → Krajči P
Huisman THJ → Cürük MA
Hulten M → Spriggs EL
Humphries P → Horn M
Hundrieser J, Nürnberg P, Czeizel AE, Métneki J, Rothgänger S, Zischler H, Epplen JT: Characterization of hypervariable locus-specific probes derived from a $(CAC)_5/(GTG)_5$ multilocus fingerprint in various Eurasian populations (O) 27

Igarashi T → Tsuda M
Iida Y → Yoshida K
Ijima H → Kikuchi S
Ikeuchi T → Numabe H
Imbeaud S → Carré-Eusèbe D
Inana G → Mashima Y
Isurugi K → Numabe H
Itakura M → Iwahana H
Iwahana H, Mizusawa N, Yoshimoto K, Itakura M: Detection of a new polymorphism of the human prothrombin (F2) gene by combination of PASA and mutated primer-mediated PCR-RFLP (DV) 325

Jacob P → MacKenzie A
Jacobi ML → Jenderny J
Jacobson DR, Rosenthal CJ, Buxbaum JN: Transthyretin Pro 36 associated with familial amyloidotic polyneuropathy in an Ashkenazic Jewish kindred (SC) 158
Jäger RJ, Harley VR, Pfeiffer RA, Goodfellow PN, Scherer G: A familial mutation in the testis-determining gene SRY shared by both sexes (O) 350
Jakubiczka S, Werder EA, Wieacker P: Point mutation in the steroid-binding domain of the androgen receptor gene in a family with complete androgen insensitivity syndrome (CAIS) (SC) 311
Jansen RPM → Kluck PMC
Jantke I → Singh S
Jeffery S, Morgan S: An RFLP for probe 26-6 that is useful in linkage diagnosis for adult polycystic kidney disease (DV) 666
Jenderny J: Sperm chromosome analysis of two males heterozygous for a t(2;17)(q35;p13) and t(3;8)(p13;p21) reciprocal translocation (SC) 171
Jenderny J, Jacobi ML, Rüger A, Röhrborn G: Chromosome aberrations in 450 sperm complements from eight controls and lack of increase after chemotherapy in two patients (SC) 151

Jenkins EC → Erster SH
Jenkins T → Colman MA
Johnsson V → Helminen P
Jonat W → Singh S
Joos S, Scherthan H, Speicher MR, Schlegel J, Cremer T, Lichter P: Detection of amplified DNA sequences by reverse chromosome painting using genomic tumor DNA as probe (O) 584
Joos S → Manoir S du
Josso N → Carré-Eusèbe D

Kälin N → Dörk T
Kahn A → Akli S
Kakkar VV → White D
Kamakari S → Curtis ARJ
Kamatani N → Fujimori S
Kamboh MI → Ahn YI
Kamiguchi H → Tsuda M
Kamiguchi Y, Rosenbusch B, Sterzik K, Mikamo K: Chromosomal analysis of unfertilized human oocytes prepared by a gradual fixation-air drying method (O) 533
Kano M → Kuwahara T
Kant J → Fortina P
Kaplan F → Hechtman P
Kaufmann D → Stark M
Kawame H, Hasegawa Y, Eto Y, Maekawa K: Rapid identification of mutations in the glucocerebrosidase gene of Gaucher disease patients by analysis of single-strand conformation polymorphisms (SC) 294
Kehrer H → Stark M
Kenna P → Horn M
Kennaway NG → Mashima Y
Kennerknecht I: A genetic model for the Prader-Willi syndrome and its implication for Angelman syndrome (O) 91
Kessling AM → Davies GE
Kidd KK → Lichter JB
Kikuchi S, Yamanouchi Y, Li L, Kobayashi K, Ijima H, Miyazaki R, Tsuchiya S, Hamaguchi H: Plasminogen with type-I mutation is polymorphic in the Japanese population (O) 7
King RA → Oetting WS
Kinnon C → O'Reilly M-AJ
Kirkels VGHJ → Müller U
Kiuchi H → Numabe H
Kjellberg P → Claustres M
Kleihauer E → Lindner M
Klinger KW → Bianchi DW
Kluck PMC, Wiegant J, Jansen RPM, Bolk MWJ, Raap AK, Willemze R, Landegent JE: The human interleukin-6 receptor α chain gene is localized on chromosome 1 band q21 (O) 542
Knoblauch H → Dittrich B
Kobayashi K → Kikuchi S
Köchl S → Kraft HG
Köhler M → Diekmann L
Kömpf J → Dürr C
Kohda N → Numabe H
Koller M → Berchtold MW
Konecki DS → Barić I
Korneluk R → MacKenzie A
Koskull H von → Nordström A-M
Kotea N → Ramasawmy R
Kovacs G → Manoir S du
Kowalska A → Schwarzman AL
Kraft HG, Köchl S, Menzel HJ, Sandholzer C, Utermann G: The apolipoprotein(a) gene: a transcribed hypervariable locus controlling plasma lipoprotein(a) concentration (O) 220
Krajči P, Gedde-Dahl T Jr, Høyheim B, Rogde S, Olaisen B, Brandtzaeg P: The gene encoding human transmembrane secretory component (locus PIGR) is linked to D1S58 on chromosome 1 (O) 215
Kraus JP → Avramopoulos D
Krawczak M, Reiss J, Cooper DN: The mutational spectrum of single base-pair substitutions in mRNA splice junctions of human genes: causes and consequences (O) 41
Krishnamoorthy R → Ramasawmy R
Krone W → Stark M
Kubacka I → Howell N
Kucheria K → McElreavey K
Küster W → Reis A
Kuller JA, Hoffman EP, Fries MH, Golbus MS: Prenatal diagnosis of Duchenne muscular dystrophy by fetal muscle biopsy (O) 34
Kulozik AE → Lindner M
Kunisch M → Horn M
Kuroki Y → Numabe H
Kusano M → Numabe H
Kuwahara T, Fukao T, Kano M, Yamaguchi S, Orii T, Hashimoto T: Identification of *Taq*I polymorphism in the mitochondrial acetoacetyl-CoA thiolase gene and familial analysis of 3-keto-thiolase deficiency (O) 208
Kwiatkowska J → Niemann-Seyde S
Kwon B → Colman MA

Lambert B → Marcus S
Lambertz S, Ballhausen WG: Identification of an alternative 5′ untranslated region of the adenomatous polyposis coli gene (SC) 650
Lamont M → Robinson D
Landegent JE → Kluck PMC
Lanyon WG → Mgone CS
Lapouméroulie C → Tachdjian G
Larochelle J → Hechtman P
Larsson C → Blennow E
Laskarzewski PM → Rice T
Lasselin C → Bonaventure J
Latif F, Modi WS, Duh F-M, Schmidt L, Li H, Geil L, Orcutt ML, Heppell-Parton A, Rabbitts PH, Marston Linehan W, Zbar B, Lerman MI: Molecular and genetic characterization and physical mapping of 11 new markers detecting multiallele restriction fragment length polymorphisms on the short arm of human chromosome 3 (O) 17
Laurent-Puig P → Olschwang S
LeConiat M → McElreavey K
LeDeist F → Desmaze C
Leeuw B de → Berger W
Lenz U → Reiss J
Lerman MI → Latif F
Lertrit P, Noer AS, Byrne E, Marzuki S: Tissue segregation of a heteroplasmic mtDNA mutation in MERRF (Myoclonic epilepsy with ragged red fibers) encephalomyopathy (O) 251
Levinsky RJ → O'Reilly M-AJ
Li H → Latif F
Li L → Kikuchi S
Lichter JB, Wu J, Brooks-Wilson AR, Difillipantonio M, Brewster S, Ward DC, Goodfellow PJ, Kidd KK: A new polymorphic marker (D10S97) tightly linked to the multiple endocrine neoplasia type 2A (MEN2A) locus (O) 516
Lichter P → Joos S
Lichter P → Manoir S du
Lichter-Konecki U → Barić I
Lindner M, Wolf A, Moh B, Steinbach P, Kleihauer E, Bartram CR, Kulozik AE: The spectrum of CFTR mutations in south-west German cystic fibrosis patients (O) 267
Lindsay S → Curtis ARJ
Litjens T → Scott HS
Llewellyn D → Owen MJ
Lo Y-MD, Patel P, Baigent CN, Gillmer MDG, Chamberlain P, Travi M, Sampietro M, Wainscoat JS, Fleming KA: Prenatal sex determination from maternal peripheral blood using the polymerase chain reaction (O) 483
Löffler C → Rao VVNG
Lonoce A → Mareni C
López-Otín C → Balbín M
Lortat-Jacob S → McElreavey K
Lu CY → Ramasawmy R
Luckenbach C → Dürr C
Ludeña P, Fernández-Piqueras J, Sentís C: Distribution of DYZ2 repetitive sequences on the human Y chromosome (SC) 572
Lyonnet S → Weinstein M
Lytle CH → Reynolds JE

Maass H → Singh S
Macera MJ → Szabo P
MacKenzie A, Roy N, Besner A, Mettler G, Jacob P, Korneluk R, Surh L: Genetic linkage analysis of Canadian spinal muscular atrophy kindreds using flanking microsatellite 5q13 polymorphisms (O) 501
Macnicol AM → Wright AF
Maekawa K → Kawame H
Mahr A → Bianchi DW
Malcolm S → O'Reilly M-AJ
Mangelschots K → Beuten J
Mannens MMAM → Ouweland AMW van den
Manoir S du, Speicher MR, Joos S, Schröck E, Popp S, Döhner H, Kovacs G, Robert-Nicoud M, Lichter P, Cremer T: Detection of complete and partial chromosome gains and losses by comparative genomic in situ hybridization (O) 590
Mant R → Owen MJ
Mao Y → Anokhin A
Marchese C → Horn M
Marchetti G → Patracchini P
Marchetti G, Patracchini P, Papacchini M, Ferrati M, Bernardi F: A polymorphism in the 5′ region of coagulation factor VII gene (F7) caused by an inserted decanucleotide (DV) 575
Marcus S, Hellgren D, Lambert B, Fällström SP, Wahlström J: Duplication in

the hypoxanthine phosphoribosyl-transferase gene caused by Alu-Alu recombination in a patient with Lesch Nyhan syndrome (O) 477
Mardešić D → Barić I
Mareni C, Stella A, Origone P, Susca F, Montera MP, Lonoce A, Ponz de Leon M, Sassatelli R, Gentile M, Straface A, Caruso ML, Palasciano N, Ajmar F, Guanti G: Linkage studies in Italian families with familial adenomatous polyposis (O) 545
Maret W → Edman K
Maroteaux P → Bonaventure J
Marston Linehan W → Latif F
Martin RH → Spriggs EL
Martin-DeLeon PA → Chayko CA
Marzuki S → Lertrit P
Mashima Y, Weleber RG, Kennaway NG, Inana G: A single-base change at a splice acceptor site in the ornithine aminotransferase gene causes abnormal RNA splicing in gyrate atrophy (SC) 305
Mashimo M, Suzuki T, Abe M, Deguchi T: Molecular genotyping of *N*-acetylation polymorphism to predict phenotype (O) 139
Matsumoto M → Tsuda M
Matsuzaki Y → Numabe H
Mattei J-F → Moncla A
Mattei M-G → Moncla A
Mattei M-G → Stengel D
Mayr U → Steichen-Gersdorf E
McBride OW → Fleischhauer K
McCarthy G → Curtis ARJ
McCullough DA → Howell N
McElreavey K, Rappaport R, Vilain E, Abbas N, Richaud F, Lortat-Jacob S, Berger R, LeConiat M, Boucekkine C, Kucheria K, Temtamy S, Nihoul-Fekete C, Brauner R, Fellous M: A minority of 46,XX true hermaphrodites are positive for the Y-DNA sequence including SRY (O) 121
McGuffin P → Owen MJ
Meindl A → Berger W
Meitinger T → Berger W
Meiyun W → Yiping H
Melançon S → Hechtman P
Menzel HJ → Kraft HG
Meroni E → Casalone R
Métneki J → Hundrieser J
Mettler G → MacKenzie A
Meybohm I → Singh S
Mgone CS, Lanyon WG, Moore MR, Connor JM: Detection of seven point mutations in the porphobilinogen deaminase gene in patients with acute intermittent porphyria, by direct sequencing of in vitro amplified cDNA (O) 12
Micaglio G → Müller E
Mikamo K → Kamiguchi Y
Minelli A → Mosna G
Minelli E → Casalone R
Minowada S → Numabe H
Misawa S → Harada S
Miyazaki R → Kikuchi S
Mizusawa N → Iwahana H
Modi WS → Latif F
Moh B → Lindner M
Molyneux K, Starman BJ, Byers PH, Dalgleish R: A single amino acid deletion in the α2(I) chain of type I collagen produces osteogenesis imperfecta type III (O) 621
Monaco AP → Graeber MB
Moncla A, Piras L, Arbex OF, Muscatelli F, Mattei M-G, Mattei J-F, Fontes M: Physical mapping of microdeletions of the chromosome 17 short arm associated with Smith-Magenis syndrome (SC) 657
Monokian G → Fortina P
Montera MP → Mareni C
Moore MR → Mgone CS
Morgan S → Jeffery S
Morlé L → Dalla Venezia N
Morris CP → Scott HS
Morton CC → Reynolds JE
Mosna G, Fattore S, Tubiello G, Brocca S, Trubia M, Gianazza E, Gatti R, Danesino C, Minelli A, Piantanida M: A homozygous missense arginine to histidine substitution at position 482 of the β-galactosidase in an Italian infantile GM1-gangliosidosis patient (O) 247
Mostacciuolo ML → Müller E
Mostachi H → Avoustin P
M'Rad R, Sanak M, Deschenes G, Zhou J, Bonaiti-Pellie C, Holvoet-Vermaut L, Heuertz S, Gubler M-C, Broyer M, Grunfeld J-P, Tryggvason K, Hors-Cayla M-C: Alport syndrome: a genetic study of 31 families (O) 420
Müller B → Braun A
Müller E, Mostacciuolo ML, Micaglio G, Angelini C, Danieli GA: Further evidence of a duplication in 17p11.2 in families with recurrence of HMSN Ia (Charcot-Marie-Tooth neuropathy type Ia) (O) 231
Müller U → Graeber MB
Müller U, Kirkels VGHJ, Scheres JMJ: Absence of Turner stigmata in a 46,XYp− female (O) 239
Munnich A → Weinstein M
Munro EA → Cockburn DJ
Muscatelli F → Moncla A

Nagafuchi S → Numabe H
Nakagome Y → Numabe H
Nakahori Y → Numabe H
Nakamura T → Harada S
Namiki M → Numabe H
Narahara K → Yokoyama Y
Neubauer S → Gebhart E
New MI → Carré-Eusèbe D
Nguyen VC → Bruneau G
Nie L → Reynolds JE
Niemann-Seyde S, Slomski R, Rininsland F, Ellermeyer U, Kwiatkowska J, Reiss J: Molecular genetic analysis of 67 patients with Duchenne/Becker muscular dystrophy (O) 65
Nihoul-Fekete C → McElreavey K
Ninomiya S → Yokoyama Y
Noer AS → Lertrit P
Nordenskjöld M → Blennow E
Nordström A-M, Penttinen M, Koskull H von: Linkage to Xq28 in a family with nonspecific X-linked mental retardation (O) 263
Nozoe M → Harada S
Nürnberg P → Hundrieser J
Numabe H, Nagafuchi S, Nakahori Y, Tamura T, Kiuchi H, Namiki M, Kohda N, Fukushima Y, Fuse H, Kusano M, Arai T, Matsuzaki Y, Fukutani K, Isurugi K, Kuroki Y, Ikeuchi T, Yoshida M, Minowada S, Nakagome Y: DNA analyses of XX and XX-hypospadiac males (O) 211
Nunes V → Chillón M

Oetting WS, King RA: Molecular analysis of type I-A (tyrosinase negative) oculocutaneous albinism (O) 258
Ogasawara N → Yamada Y
Ogura K → Baldini A
Ohno S: Of palindromes and peptides (O) 342
Olaisen B → Krajči P
Old JM → Varawalla NY
Olschwang S, Laurent-Puig P, Thuille B, Thomas G: Frequent polymorphism in the 13th exon of the adenomatous polyposis coli gene (SC) 161
O'Mahoney G → Owen MJ
Oost BA van → Ouweland AMW van den
Orcutt ML → Latif F
O'Reilly M-AJ, Alterman LA, Malcolm S, Levinsky RJ, Kinnon C: Identification of CpG islands around the DXS178 locus in the region of the X-linked agammaglobulinaemia gene locus in Xq22 (O) 275
Origone P → Mareni C
Orii T → Kuwahara T
Oshima A → Yoshida K
Ouweland AMW van den, Verdijk M, Mannens MMAM, Oost BA van: The QM gene is X-linked and therefore not involved in suppression of tumorigenesis in Wilms' tumor (SC) 144
Owen MJ, Mant R, Parfitt E, Williams J, Asherson P, O'Mahoney G, Van Os J, Llewellyn D, Collier D, Gill M, McGuffin P: No association between RFLPs at the porphobilinogen deaminase gene and schizophrenia (O) 131
Ozato K → Fleischhauer K

Palacio A → Chillón M
Palasciano N → Mareni C
Palm K → Diekmann L
Panneerselvam C → Szabo P
Papacchini M → Marchetti G
Parfitt E → Owen MJ
Parma J → Stengel D
Parquet N → Dalla Venezia N
Parra HJ → Visvikis S
Parrella T → Fortina P
Patel P → Lo Y-MD
Patracchini P → Marchetti G
Patracchini P, Marchetti G, Aiello V, Croci G, Calzolari E, Bernardi F: Characterization and mapping of the 5′ portion of von Willebrand factor pseudogene (SC) 297
Peltonen L → Helminen P
Pena SDJ → Santos FR
Penttinen M → Nordström A-M
Pergolizzi RG → Erster SH

Perret B → Avoustin P
Perry TS → Rice T
Pezzolo A → Caridi G
Pfeiffer RA → Diekmann L
Pfeiffer RA → Jäger RJ
Phelps P → Robinson D
Philippe C → Bonaventure J
Piantanida M → Mosna G
Picard J-Y → Carré-Eusèbe D
Pignatelli PM → Wright AF
Piras L → Moncla A
Pivnick EK, Wachtel S, Woods D, Simpson JL, Bishop CE: Mutations in the conserved domain of SRY are uncommon in XY gonadal dysgenesis (SC) 308
Plessis G → Bonaventure J
Poenaru L → Akli S
Pol TJR van de → Berger W
Ponder BAJ → Blennow E
Pongs O → Gessler M
Ponz de Leon M → Mareni C
Popp S → Manoir S du
Portentoso P → Casalone R
Posselt H-G → Reiss J
Pound SE → Wright AF
Préval C de → Avoustin P
Prevost C → Hechtman P
Prieur M → Desmaze C

Qing G → Yiping H

Raap AK → Kluck PMC
Rabbitts PH → Latif F
Raghunath M, Superti-Furga A, Godfrey M, Steinmann B: Decreased extracellular deposition of fibrillin and decorin in neonatal Marfan syndrome fibroblasts (O) 511
Rahmani Z → Yaspo M-L
Ramasawmy R, Kotea N, Lu CY, Sayada C, Baligadoo S, Krishnamoorthy R: Investigation of the polymorphic *Sca*I site by a PCR-based assay at the human atrial natriuretic peptides (hANP) gene locus (DV) 323
Ramsay M → Colman MA
Ramus SJ, Forrest SM, Saleeba JA, Cotton RGH: CpG hotspot causes second mutation in codon 408 of the phenylalanine hydroxylase gene (SC) 147
Rao DC → Rice T
Rao VVNG, Löffler C, Wozney JM, Hansmann I: The gene for bone morphogenetic protein 2A (BMP2A) is localized to human chromosome 20p12 by radioactive and nonradioactive in situ hybridization (SC) 299
Rappaport E → Fortina P
Rappaport R → McElreavey K
Rau D → Gebhart E
Reis A, Küster W, Eckardt R, Sperling K: Mapping of a gene for epidermolytic palmoplantar keratoderma to the region of the acidic keratin gene cluster at 17q12–q21 (O) 113
Reiss J → Krawczak M
Reiss J, Lenz U, Rininsland F, Ballhausen P, Drews D, Posselt H-G: A novel CFTR mutation, 4035delA, detected by nonradioactive SSCP analysis (SC) 303
Reiss J → Niemann-Seyde S
Reynolds JE, Fletcher JA, Lytle CH, Nie L, Morton CC, Diehl SR: Molecular characterization of a 17q11.2 translocation in a malignant schwannoma cell line (O) 450
Rhyner JA → Berchtold MW
Ribeiro MLS → Cürük MA
Rice T, Laskarzewski PM, Perry TS, Rao DC: Commingling and segregation analysis of serum uric acid in five North American populations: the Lipid Research Clinics family study (O) 133
Richaud F → McElreavey K
Ried T → Baldini A
Righi R → Casalone R
Rininsland F → Niemann-Seyde S
Rininsland F → Reiss J
Ritter H → Dürr C
Riva C → Casalone R
Rivera H, Domínguez MG: Reply to the letter by Y. Chamla, C-anaphases revised (L) 188
Robert-Nicoud M → Manoir S du
Roberts E → Aldred MJ
Robinson D, Lamont M, Curtis G, Shields DC, Phelps P: A family with X-linked deafness showing linkage to the proximal Xq region of the X chromosome (SC) 316
Robinson WP → Dittrich B
Rocchi M → Baldini A
Roeckel N → Stengel D
Röhrborn G → Jenderny J
Rogde S → Krajči P
Roos A de → Berger W
Ropers H-H → Berger W
Rosenbusch B → Kamiguchi Y
Rosenthal CJ → Jacobson DR
Rossi E, Zarrilli R, Zuffardi O: Regional assignment of the gene coding for a human Graves' disease autoantigen to 10q21.3–q22.1 (SC) 653
Rothgänger S → Hundrieser J
Rousset T → Dalla Venezia N
Roustan P → Curtis ARJ
Roy N → MacKenzie A
Rüger A → Jenderny J
Rujner J → Schwarzman AL

Sakuraba H → Yoshida K
Saleeba JA → Ramus SJ
Salvatore S → Casalone R
Sampietro M → Lo Y-MD
Sanak M → M'Rad R
Sandholzer C → Kraft HG
Santos FR, Pena SDJ, Epplen JT: Genetic and population study of a Y-linked tetranucleotide repeat DNA polymorphism with a simple non-isotopic technique (SC) 655
Sarnavka V → Barić I
Sassatelli R → Mareni C
Sayada C → Ramasawmy R
Sayada C → Tachdjian G
Scambler P → Desmaze C
Scanlin T → Fortina P
Schalt E → Anokhin A
Scherer G → Jäger RJ
Scheres JMJ → Müller U
Scherthan H → Joos S
Schlegel J → Joos S
Schmid M, Guttenbach M, Enders H, Terruhn V: A 47,XXY female with unusual genitalia (O) 346
Schmidt K → Dittrich B
Schmidt L → Latif F
Schmidtke J → Dörk T
Scholz W → Diekmann L
Schröck E → Manoir S du
Schroers E → Diekmann L
Schwartz E → Fortina P
Schwartz G → Weinstein M
Schwarzman AL, Kowalska A, Rujner J, Vlasov MS, Gaitskhoki VS: De novo mutation within the intron-exon junction in the PiZ allele of the alpha-1-antitrypsin gene (SC) 169
Scott HS, Litjens T, Hopwood JJ, Morris CP: PCR detection of two RFLPs in exon I of the α-L-iduronidase (IDUA) gene (DV) 327
Scrimgeour EM, Simpson SA: Huntington disease in black African populations (L) 186
Sculley DG, Dawson PA, Emmerson BT, Gordon RB: A review of the molecular basis of hypoxanthine-guanine phosphoribosyltransferase (HPRT) deficiency (R) 195
Sei Y → Tsuda M
Seino Y → Yokoyama Y
Selvakumar A → Szabo P
Sentís C → Ludeña P
Shields DC → Robinson D
Shiloh Y → Weinstein M
Shinohara Y → Tsuda M
Shridhar V → Baldini A
Sidi D → Desmaze C
Siest G → Visvikis S
Simon M → Singh S
Simpson JL → Pivnick EK
Simpson SA → Scrimgeour EM
Sinet P-M → Yaspo M-L
Singh S, Simon M, Meybohm I, Jantke I, Jonat W, Maass H, Goedde HW: Human breast cancer: frequent p53 allele loss and protein overexpression (O) 635
Slomski R → Niemann-Seyde S
Speicher MR → Joos S
Speicher MR → Manoir S du
Sperling K → Reis A
Spriggs EL, Martin RH, Hulten M: Sperm chromosome complements from two human reciprocal translocation heterozygotes (ER) 330
Spurr NK → Zhong S
Stark M, Assum G, Kaufmann D, Kehrer H, Krone W: Analysis of segregation and expression of an identified mutation at the neurofibromatosis type 1 locus (O) 356
Starman BJ → Molyneux K
Stehelin D → Yaspo M-L
Steichen-Gersdorf E, Trawöger R, Duba HC, Mayr U, Felber S, Utermann G: Hypomelanosis of Ito in a girl with plexus papilloma and translocation (X;17) (O) 611
Steinbach P → Lindner M
Steinlein O → Anokhin A
Steinmann B → Raghunath M
Stella A → Mareni C

Stengel D, Parma J, Gannagé M-H, Roeckel N, Mattei M-G, Barouki R, Hanoune J: Different chromosomal localization of two adenylyl cyclase genes expressed in human brain (O) 126
Sterzik K → Kamiguchi Y
Stevens G → Colman MA
Straface A → Mareni C
Strehler EE → Berchtold MW
Stuhrmann M → Dörk T
Superti-Furga A → Raghunath M
Surh L → MacKenzie A
Surrey S → Fortina P
Susca F → Mareni C
Suzuki T → Mashimo M
Suzuki Y → Yoshida K
Suzumori K → Yamada Y
Szabo P, Panneerselvam C, Clinton M, Frangou-Lazaridis M, Weksler D, Whittington E, Macera MJ, Grzeschik K-H, Selvakumar A, Horecker BL: Prothymosin α gene in humans: organization of its promoter region and localization to chromosome 2 (O) 629

Tachdjian G, Benabdennebi M, Guidal C, Sayada C, Lapouméroulie C, Elion J: Analysis of the 5′ flanking sequence of the Gγ globin gene by denaturing gradient gel electrophoresis confirms the heterogeneity of the Bantu β^S haplotype (O) 23
Tagaya T → Fujimori S
Tamura T → Numabe H
Tanaka N → Harada S
Teague PW → Wright AF
Telenius H → Blennow E
Temtamy S → McElreavey K
Terruhn V → Schmid M
Thibault J → Bruneau G
Thomas G → Olschwang S
Thomas NST → Aldred MJ
Thomas NST → Curtis ARJ
Thuille B → Olschwang S
Tissot C → Claustres M
Trautmann U → Diekmann L
Travi M → Lo Y-MD
Trawöger R → Steichen-Gersdorf E
Trefz FK → Barić I
Trubia M → Mosna G
Tryggvason K → M'Rad R
Tsuchiya S → Kikuchi S
Tsuda M, Sei Y, Matsumoto M, Kamiguchi H, Yamamoto M, Shinohara Y, Igarashi T, Yamamura M: α-1-Antichymotrypsin variant detected by PCR-single strand conformation polymorphism(PCR-SSCP) and direct sequencing (SC) 467
Tsuji K → Yokoyama Y
Tubiello G → Mosna G
Tümmler B → Dörk T
Turnbull DM → Howell N

Ueno E → Harada S
Utermann G → Kraft HG
Utermann G → Steichen-Gersdorf E

Van Broeckhoven C → Beuten J
Van Os J → Owen MJ

Varawalla NY, Fitches AC, Old JM: Analysis of β-globin gene haplotypes in Asian Indians: origin and spread of β-thalassaemia on the Indian subcontinent (O) 443
Velasco G → Balbín M
Velde-Visser SD van der → Berger W
Verdijk M → Ouweland AMW van den
Vigneron J → Bonaventure J
Vilain E → McElreavey K
Visvikis S, Cambou JP, Arveiler D, Evans AE, Parra HJ, Aguillon D, Fruchart JC, Siest G, Cambien F: Apolipoprotein B signal peptide polymorphism in patients with myocardial infarction and controls. "The ECTIM study" (O) 561
Vits L, Willems PJ: *Bgl*II RFLP in DXS498 between the pigment gene repeat unit, RCP and GCP (DV) 322
Vlasov MS → Schwarzman AL
Vogel F → Anokhin A
Vogt P → Anokhin A
Vogt P → Diekmann L
Vos D de → Blennow E

Wachtel S → Pivnick EK
Wahlström J → Marcus S
Wahlstrom J → Curtis ARJ
Wainscoat JS → Lo Y-MD
Ward DC → Baldini A
Ward DC → Lichter JB
Watson ML → Wright AF
Wei J, Guo Y, Chen B, Yang Y: Significantly higher frequency of the *Msp*I 2.2 kb allele of the Duchenne muscular dystrophy intragenic probe P-20 in the Chinese population (SC) 149
Weinstein M, Eisensmith RC, Abadie V, Avigad S, Lyonnet S, Schwartz G, Munnich A, Woo SLC, Shiloh Y: A missense mutation, S349P, completely inactivates phenylalanine hydroxylase in North African Jews with phenylketonuria (O) 645
Weksler D → Szabo P
Weleber RG → Mashima Y
Werder EA → Jakubiczka S
White D, Abraham G, Carter C, Kakkar VV, Cooper DN: A novel missense mutation in the antithrombin III gene (Ala387→Val) causing recurrent venous thrombosis (DV) 472
Whitley CB → Crotty PL
Whittington E → Szabo P
Wieacker P → Jakubiczka S
Wiegant J → Kluck PMC
Willems PJ → Beuten J
Willems PJ → Vits L
Willemze R → Kluck PMC
Williams J → Owen MJ
Williamson R → Davies GE
Wilmotte R → Dalla Venezia N
Wolf A → Lindner M
Wolf CR → Zhong S
Woo SLC → Weinstein M
Woods D → Pivnick EK
Wozney JM → Rao VVNG
Wright AF, Teague PW, Pound SE, Pignatelli PM, Macnicol AM, Carothers AD, DeMey RJ, Allan PL, Watson ML: A study of genetic linkage heterogeneity in 35 adult-onset polycystic kidney disease families (O) 569
Wu J → Lichter JB

Yamada Y, Goto H, Suzumori K, Adachi R, Ogasawara N: Molecular analysis of five independent Japanese mutant genes responsible for hypoxanthine guanine phosphoribosyltransferase (HPRT) deficiency (O) 379
Yamaguchi S → Kuwahara T
Yamamoto M → Tsuda M
Yamamura M → Tsuda M
Yamanouchi Y → Kikuchi S
Yanagisawa N → Yoshida K
Yang SY → Fleischhauer K
Yang Y → Wei J
Yaspo M-L, Crété N, Chettouh Z, Blouin J-L, Rahmani Z, Stehelin D, Sinet P-M, Créau-Goldberg N, Delabar J-M: New chromosome 21 DNA markers isolated by pulsed field gel electrophoresis from an ETS2-containing Down syndrome chromosomal region (O) 427
Yiping H, Qing G, Meiyun W: A study of the genetic polymorphism of human inter-alpha-trypsin-inhibitor (ITI) in the Han population, Chengdu, China (SC) 661
Yokoyama Y, Narahara K, Tsuji K, Ninomiya S, Seino Y: Autosomal dominant congenital cataract and microphthalmia associated with a familial t(2;16) translocation (SC) 177
Yoshida K, Yanagisawa N, Oshima A, Sakuraba H, Iida Y, Suzuki Y: Splicing defect of the glycoasparaginase gene in two Japanese siblings with aspartylglucosaminuria (SC) 179
Yoshida M → Numabe H
Yoshimoto K → Iwahana H
Yu LM → Deka R
Yüregir GT → Cürük MA

Zarrilli R → Rossi E
Zbar B → Latif F
Zheng C-J, Byers B: Oocyte selection: a new model for the maternal-age dependence of Down syndrome (O) 1
Zhong S, Wolf CR, Spurr NK: Chromosomal assignment and linkage analysis of the human glutathione S-transferase μ gene (GSTM1) using intron specific polymerase chain reaction (O) 435
Zhou J → M'Rad R
Zickwolf GK → Bianchi DW
Zischler H → Hundrieser J
Zrenner E → Horn M
Zuffardi O → Rossi E

Announcements 194, 476, 670

Indexed in *Current Contents*